







The drying cabinet experts from Sweden

An energy efficient innovation in clothes drying technology

A drying cabinet may look like a simple box, but beneath its sleek exterior lies an innovative machine that delivers powerful drying performance for busy and stylish home-owners.

Nimo drying cabinets deliver advanced solutions for highly efficient and gentle drying with minimum energy consumption. For example, our unique sensor-controlled automatic dryers can, compared with traditional timer-controlled models, reduce electrical energy demand by up to 40 percent.

At Nimo we are serious about drying cabinets and have been proudly maintaining the highest standards of manufacture for over six decades. This has made us by far the leading supplier in Scandinavia and brought success in foreign markets.

There are numerous drying cabinets on the market, but they are not all the same. Our products are made from durable, high-class materials. They are also highly innovative and well built. We also manufacture sink tops, sink units and ironing board cabinets at our ISO-certified plant. Thanks to modern design and an unbeatable range of sizes, specifications and colours, our products provide everything necessary for creating an attractive clothes-care room.

Follow us on a tour around all the new possibilities of our product range, and you will soon see that drying cabinets offer more benefits in clothes-care than you would have thought possible.



NEW! Automatic switch off
– sensor-controlled ECO DRYER
technology can save up to 40 percent
of traditional electricity consumption.





Drying cabinets – the smarter choice

Our drying cabinets have been selling all over the world since 1961. Many of them are still going strong. Nevertheless, our drying cabinets have changed considerably over time; development has never stood still. With the new D8 generation, we are taking our biggest step forward ever, both technically and aesthetically.

The new design has the same elegance as the latest trends in white goods, kitchens and bathrooms. A look and feel of quality, clean lines and hardwearing finishes in classic white, modern titanium metallic or luxurious black lacquer – exteri-

ors that promise just as much as the interiors deliver.

Naturally, all our drying cabinets have adjustable heat settings and timer controls. To withstand the humid environment in wetrooms, they are built from powder-painted, corrosion-protected steel. Furthermore, if you choose one of our cabinets with ECO DRYER technology, you will be getting an energy-saving worldwide innovation: The in-built humidity sensors switch off drying when the cabinet's contents are dry. This gives optimum drying results with the least possible energy consumption – up to 40 percent less!



Why invest in a drying cabinet, when there are tumble dryers? Easy! Because drying cabinets do so much more and so much better! Even your most delicate items of clothing will be dried gently – no rubbing, no pilling, no creasing and no loss of shape. On top of that, have you ever tried tumble drying trainers, football boots or any outdoor footwear? Of course, you can also let your washing dry by itself in an unheated cabinet, with or without fan assistance. By all means buy a tumble dryer, but get a drying cabinet first. Extend the life of your clothes and save energy!



Do not tumble dry...?

There are many items of clothing that do not tolerate tumble drying particularly well. Materials such as silk, velvet, wool and many synthetics can be ruined, while others crease or lose their shape. Nearly all such items can be successfully dried in a drying cabinet. It can even handle your children's wet boots with ease!

Floor-standing drying cabinets
Height: 1,915 mm



Our ECO DRYER models have the new sensor-controlled automatic switch off that brings energy savings of up to 40 percent. Exclusive to Nimo!



Drying cabinet ETS 1900

Tall, floor-standing model with pull-out and fold-back hanging rails. Timer-controlled fan, adjustable heat settings. Supplied with ventilation connections. Available in white.

Size (H x W x D)	1,915 x 595 x 615mm
Weight	61 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	62110100	8035836	9295140
Right	62120100	8035837	9295141



Drying cabinet ETS 1900 B

Floor-standing model for workplace use. Inside, there are 10 clothes hooks fixed to the inside top panel and 3 hangers on the door. If necessary, standard hangers can also be fitted. Timer-controlled fan, adjustable heat settings. Supplied with ventilation connections. Designed for heavy outdoor clothes and industrial workwear. Available in white.

Size (H x W x D)	1,915 x 595 x 615mm
Weight	61 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	62110103	8035840	9295142
Right	62120103	8035841	9295143

ETS 1900 B is the workhorse of the range – built for heavy work clothes.

Drying cabinet ETS 1900 E



As model ETS 1900, but with ECO DRYER sensor-controlled automatic switch off. Two set automatic programmes with the possibility of manual timer control. The inside of the door has three hangers. Available in white.

Size (H x W x D)	1,915 x 595 x 615 mm
Weight	61 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	62110101	8035838	9295144
Right	62120101	8035839	9295145

Providing faster and more even drying. A shoe rack and glove holders are available as accessories.



Drying cabinet ETS 1900 E Titanium



As model ETS 1900 E, but with an exclusive titanium metallic finish.

Size (H x W x D)	1,915 x 595 x 615 mm
Weight	61 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	62110200	8035842	9295146
Right	62120200	8035843	9295147

Fitted with three sets of pull-out hangers, the lower two rails can fold back. Also includes three door mounted rails for extra loading capacity.



Drying cabinet ETS 1900 E Black



As model ETS 1900 E, but with a high-gloss black finish and matching grey handles and interior fittings.

Size (H x W x D)	1,915 x 595 x 615 mm
Weight	61 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	62110300	8035844	9295148
Right	62120300	8035845	9295149

The high-gloss, black lacquer finish adds extra opulence. It is also hardwearing and easy to keep clean.



Floor-standing drying cabinets

Height: 1,915 mm



Drying cabinet ETS 1900 Extreme

With ECO DRYER sensor-controlled automatic switch off. Two set automatic programmes with the possibility of manual timer control. Insulated door for even greater stability. The inside of the door has two glove hangers. Available in a white powder-painted finish.



Size (H x W x D)	1,915 x 595 x 615 mm
Weight	61 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230V, 10A; heater output, 1,500W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	62110122	8035853	9295165
Right	62120122	8035854	9295164



Nimo Extreme is a new drying cabinet for demanding users – perfect for winter sports! A true workhorse focused on efficient drying with minimum energy consumption. Nimo Extreme has very flexible interior fittings, with double glove hangers, clothes hooks fitted to the inside top panel and two sets of pull-out rails that are hinged and can be folded back to allow larger garments to hang from the hooks.

Foto Reima

Floor-standing drying cabinets

Height: 1,715 mm

Drying cabinet ETS 1700

Easy-to-site floor-standing model with pull-out and fold-back hanging rails. Timer-controlled fan, adjustable heat settings. Supplied with ventilation connections. Available in white.

Size (H x W x D)	1,715 x 595 x 615 mm
Weight	56 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230V, 10A; heater output, 1,500W; motor, 35W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	61110100	8035830	9295150
Right	61120100	8035831	9295151



Drying cabinet ETS 1700 E

As model ETS 1700, but with ECO DRYER sensor-controlled automatic switch off. Two set automatic programmes with the possibility of manual timer control. The inside of the door has three hangers. Available in white.



Size (H x W x D)	1,715 x 595 x 615 mm
Weight	56 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230V, 10A; heater output, 1,500W; motor, 35W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	61110101	8035832	9295152
Right	61120101	8035833	9295153



Drying cabinet ETS 1700 E Titanium

As model ETS 1700 E, but with an exclusive titanium metallic finish.



Size (H x W x D)	1,715 x 595 x 615 mm
Weight	56 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230V, 10A; heater output, 1,500W; motor, 35W with overheating protection
Fan capacity	180 m ³ /h (of which 25% is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	61110201	8035834	9295154
Right	61120201	8035835	9295155



Wall-hung drying cabinets



Drying cabinet ETS 1100

Compact drying cabinet for wall mounting (e.g. in a bathroom, subject to Building Regulations). Timer-controlled fan, adjustable heat settings. Reversible door, supplied with ventilation connections. Available in white.

Size (H x W x D)	1,140 x 595 x 335 mm
Weight	33 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 5.4 metres; volume, approx. 1.5 kg
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	150 m ³ /h (of which 25 % is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Reversible	60003011	8035852	9295139

Drying cabinet ETS 1500

Wall-hung drying cabinet where space is at a premium (e.g. above a washing machine). Pull-down hanger system ensures a comfortable working height for loading and unloading. Timer-controlled fan, adjustable heat settings. Supplied with ventilation connections. Available in white.

Size (H x W x D)	1,435 x 595 x 615 mm
Weight	60 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25 % is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	63110100	8035846	9295156
Right	63120100	8035847	9295157

The topmost hangers can be lowered to a comfortable working height – a unique Nimo design feature improved ergonomic performance.



Drying cabinet ETS 1500 E

As model ETS 1500, but with ECO DRYER sensor-controlled automatic switch off. Two set automatic programmes with the possibility of manual timer control. Available in white.



Size (H x W x D)	1,435 x 595 x 615 mm
Weight	60 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25 % is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	63110101	8035848	9295158
Right	63120101	8035849	9295159



Drying cabinet ETS 1500 E Titanium

As model ETS 1500 E, but with an exclusive titanium metallic finish.



Size (H x W x D)	1,435 x 595 x 610 mm
Weight	60 kg
Protection class	IP24, SEMKO and CE approved
Capacity	Hanging rail length, 16 metres; volume, 4 kg upwards
Sound level	Less than 60 dB(A)
Electrical specification	Single-phase, 230 V, 10 A; heater output, 1,500 W; motor, 35 W with overheating protection
Fan capacity	180 m ³ /h (of which 25 % is evacuated)

Door (left/right hung)	Item number	RSK no.	E no.
Left	63110200	8035850	9295160
Right	63120200	8035851	9295161





Nimo-Verken AB
Box 124
SE-548 22 Hova

Tel. +46 506 488 00
Fax +46 506 488 10

info@nimoverken.com
www.nimoverken.com

Production: Morot Annonssbyrå AB, Skövde, Sweden, June 2010.

Printing: Skaraborgs Offset AB, 1,000 copies.

Photos: Peter Råberg, Thomas Harrysson and P.G. Johansson.

Design D8 was produced in collaboration with Zenit Design Group.

We would like to warmly thank the following companies and individuals for the loan of property, etc.:

Reima • Ocean House, Billdal • A-möbler, Skövde • Sportex, Skövde • Cervera, Skövde/Lidköping
Hifi-Punkten, Skövde • Hemma Inredning, Skövde • Zone, Skövde • FÖRR, Skövde
Estrade Living, Mariestad • MIO, Tibro • Hamnmagasinet, Mariestad • Peter Råberg • Ulrika Karlsson

The right to make design changes is reserved.